

Hendra Hardware Timber Sizing

Type		Dimensions		
		Length	Width	Depth
Exterior Plywood		900	600	3.6
		1200	600	3.6
		1200	900	3.6
		900	600	6.0
		1200	600	6.0
		1200	900	6.0
		900	600	9.0
		1200	600	9.0
		1200	900	9.0
		900	600	12.0
		1200	600	12.0
	1200	900	12.0	
MDF		900	600	12.0
		1200	600	12.0
		1200	900	12.0
		900	600	9.0
		1200	600	9.0
Stud	Primed	2400	70	35.0
		3000	70	35.0
Hardwood	Fence Post	2400	100	75.0
	Fence Rail	4800	100	38.0
		4800	75	38.0
	Fence Palings	1800	100	16.0
Fibro Cement (Hardiflex)		1800	900	4.5
		2400	900	4.5
		2400	1200	4.5
		1800	1200	6.0
Pegboard		1200	900	4.8
Perspex		915	650	3.0
		1220	915	3.0
Masonite		900	600	3.2
		1200	900	4.8
	Underlay	1220	915	5.5
Pine Sleeper		2400	200	50.0
Dowell		1800	6	-
		1800	8	-
		1800	9.5	-
		1800	12.5	-
		1800	16	-

		1800	19	-
		1800	25	-
		2400	6	-
		2400	8	-
		2400	9.5	-
		2400	12.5	-
		2400	16	-
		2400	19	-
		2400	25	-
Melamine		900	295	16.0
		900	445	16.0
		900	595	16.0
		1200	295	16.0
		1200	445	16.0
		1800	295	16.0
		1800	595	16.0
		2400	295	16.0
		2400	595	16.0
Finger Jointed Pine	Quad	2700	11	11.0
		2700	18	18.0
	Moulding	2700	11	11.0
		2700	18	11.0
		2700	31	11.0
		2700	42	11.0
		2700	66	11.0
		2700	92	11.0
		2700	116	11.0
		2700	138	11.0
		2700	11	18.0
		2700	18	18.0
		2700	31	18.0
		2700	42	18.0
		2700	66	18.0
		2700	92	18.0
		2700	116	18.0
		2700	138	18.0
	Colonial	2700	42	11.0
		2700	66	11.0
	Bullnose	2700	42	11.0
2700		66	11.0	
Balustrading	Rail Ladies Waste	per/m	-	-
	Bottom Rail	per/m	-	-
	Paling	5400	62	18.0
Hardwood Stakes	Real estate	900	50	25.0
		1200	50	25.0

		1500	50	25.0
		300	25	25.0
		600	25	25.0
	Garden	900	25	25.0
		1200	25	25.0
		1800	25	25.0